



Exceeding Expectations
by Design

Vented & Vent-Free Gas Logs



Vented Logs
Park Series



Blaze n' Glow
Series



Tri-Flame
Series



Magniflame
Series



Value Line
Series

FlameBoyant™ / Park Series: Vented Gas Logs

Dramatic Realism, Outstanding Performance & Heating Efficiency!

FlameBoyant™ vented gas logs provide the ultimate log and flame beauty comparable to a real wood fire, without the mess. Highly detailed hand painted logs provide the realism of actual logs, the triple burner with enhanced coal bed creates the real wood fire appearance. Additional features include: a 5/8" bi-level grate & unparalleled safety & Posi-Loc system secures grate.

Park Series vented gas logs demonstrate heating efficiencies comparable to most heater rated direct vent fireplaces. Our vented logs commonly generate overall heating efficiencies of 56% in a conventional masonry woodburning fireplace, contributing about 50% more to the total system heat output than typical refractory concrete gas logs. Our patented technology is a clear departure from any other vented gas log produced over the past 50 years. The log stack is integrated into the burner as a single arrangement which produces an intense red glow in the ceramic log material; not only providing uncanny woodburning realism, but also impressive levels of radiant heat. This unique system is the easiest system to install. The ceramic burner eliminates sooting normally experienced with vented log sets.

FlameBoyant™



Kingston Oak

Park Series



Blue Ridge



Acadia



Sequoia

FlameBoyant™ "Kingston Oak" (Combine Burner System & Log Set)

SIZE	BURNER MODEL NUMBER	LOG SET MODEL NUMBER	CONTROL	BTU CAPACITY	FUEL
18"	VVMR18	VMLR18	Match Lit	55,000	Natural
24"	VVMR24	VMLR24	Match Lit	65,000	Natural

Park Series (Includes Burner System & Log Set)

SIZE	MODEL NUMBER	MODEL NAME	CONTROL	BTU CAPACITY	FUEL
18"	HCA-18-RFN	Blue Ridge	Remote Control	41,000 to 56,000	Natural
18"	HCA-18-RFP	Blue Ridge	Remote Control	42,000 to 51,000	Propane
24"	HCA-24-RFN	Blue Ridge	Remote Control	45,000 to 67,000	Natural
24"	HCA-24-RFP	Blue Ridge	Remote Control	43,000 to 65,000	Propane
18"	HKE-18-RFN	Acadia	Remote Control	41,000 to 56,000	Natural
18"	HKE-18-RFP	Acadia	Remote Control	42,000 to 51,000	Propane
24"	HKE-24-RFN	Acadia	Remote Control	45,000 to 67,000	Natural
24"	HKE-24-RFP	Acadia	Remote Control	43,000 to 65,000	Propane
18"	HCM-18-RFN	Sequoia	Remote Control	41,000 to 56,000	Natural
18"	HCM-18-RFP	Sequoia	Remote Control	42,000 to 51,000	Propane
24"	HCM-24-RFN	Sequoia	Remote Control	45,000 to 67,000	Natural
24"	HCM-24-RFP	Sequoia	Remote Control	43,000 to 65,000	Propane

*All Park Series Log Sets Include: Gas Shut-Off Valve with 18" Flex Connector, Honeywell Remote with Adjustable Flame Setting and Timer, Lava Rock, Ember Flakes, Glowing Embers, 5 Piece Log Scrap Kit, and Damper Clamp.

Blaze n' Glow Series: Vent-Free Radiant Heater Gas Logs

Not Just Gas Logs - But Radiant Heaters

The Blaze n' Glow series offers you what ordinary gas logs cannot... the beauty and convenience of gas logs combined with the heating characteristics of a radiant vent-free heater.



Catskill Mountain



Boulder Mountain



Smokey Mountain



Rocky Mountain

Burner Systems

SIZE	MODEL NUMBER	BURNER TYPE	CONTROL	BTU OUTPUT	FUEL
18"	BG18NM	Radiant	Manual	22,000 to 29,000	Natural
18"	BG18PM	Radiant	Manual	19,000 to 26,000	Propane
18"	BG18NR	Radiant	Remote Ready	19,000 to 28,000	Natural
18"	BG18PR	Radiant	Remote Ready	19,000 to 30,000	Propane
18"	BG18NT	Radiant	Thermostat	19,000 to 28,000	Natural
18"	BG18PT	Radiant	Thermostat	19,000 to 30,000	Propane
18"	BG18NV	Radiant	Variable Remote *	19,000 to 28,000	Natural
18"	BG18PV	Radiant	Variable Remote *	19,000 to 28,000	Propane
18"	BGE18NM	Radiant w/ Loose Embers	Manual	26,000 to 31,000	Natural
18"	BGE18PM	Radiant w/ Loose Embers	Manual	23,000 to 28,000	Propane
18"	BGE18NR	Radiant w/ Loose Embers	Remote Ready	19,000 to 28,000	Natural
18"	BGE18PR	Radiant w/ Loose Embers	Remote Ready	21,000 to 28,000	Propane
18"	BGE18NT	Radiant w/ Loose Embers	Thermostat	23,000 to 30,000	Natural
18"	BGE18PT	Radiant w/ Loose Embers	Thermostat	23,000 to 32,000	Propane
18"	BGE18NV	Radiant w/ Loose Embers	Variable Remote *	19,000 to 28,000	Natural
18"	BGE18PV	Radiant w/ Loose Embers	Variable Remote *	21,000 to 28,000	Propane
18"	BGE18NE	Radiant w/ Loose Embers	Electronic Ignition*	21,000 to 30,000	Natural
18"	BGE18PE	Radiant w/ Loose Embers	Electronic Ignition*	24,000 to 30,000	Propane
24"/30"/36"	BG2436NM	Radiant	Manual	24,000 to 35,000	Natural
24"/30"/36"	BG2436PM	Radiant	Manual	24,000 to 35,000	Propane
24"/30"/36"	BG2436NR	Radiant	Remote Ready	25,000 to 36,000	Natural
24"/30"/36"	BG2436PR	Radiant	Remote Ready	25,000 to 36,000	Propane
24"/30"/36"	BG2436NT	Radiant	Thermostat	25,000 to 36,000	Natural
24"/30"/36"	BG2436PT	Radiant	Thermostat	25,000 to 36,000	Propane
24"/30"/36"	BG2436NV	Radiant	Variable Remote *	21,500 to 33,000	Natural
24"/30"/36"	BG2436PV	Radiant	Variable Remote *	21,500 to 33,000	Propane
24"/30"/36"	BGE2436NM	Radiant w/ Loose Embers	Manual	28,000 to 37,000	Natural
24"/30"/36"	BGE2436PM	Radiant w/ Loose Embers	Manual	28,000 to 37,000	Propane
24"/30"/36"	BGE2436NR	Radiant w/ Loose Embers	Remote Ready	25,000 to 39,000	Natural
24"/30"/36"	BGE2436PR	Radiant w/ Loose Embers	Remote Ready	27,000 to 39,000	Propane
24"/30"/36"	BGE2436NT	Radiant w/ Loose Embers	Thermostat	29,000 to 38,000	Natural
24"/30"/36"	BGE2436PT	Radiant w/ Loose Embers	Thermostat	29,000 to 38,000	Propane
24"/30"/36"	BGE2436NV	Radiant w/ Loose Embers	Variable Remote *	25,000 to 39,000	Natural
24"/30"/36"	BGE2436PV	Radiant w/ Loose Embers	Variable Remote *	27,000 to 39,000	Propane
24"/30"/36"	BGE2436NE	Radiant w/ Loose Embers	Electronic Ignition *	26,000 to 39,000	Natural
24"/30"/36"	BGE2436PE	Radiant w/ Loose Embers	Electronic Ignition *	30,000 to 39,000	Propane

*Variable Remote models include a ProFlame remote control.
Electronic Ignition models include a variable remote control.

Log Sets

SIZE	MODEL NUMBER	MODEL NAME	MATERIAL	USE BURNER
18"	LBG18-CM	Catskill Mountain	Ceramic Fiber	18"
24"	LBG24-CM	Catskill Mountain	Ceramic Fiber	24"/30"/36"
30"	LBG30-CM	Catskill Mountain	Ceramic Fiber	24"/30"/36"
18"	LBG18-BM	Boulder Mountain	Concrete	18"
24"	LBG24-BM	Boulder Mountain	Concrete	24"/30"/36"
30"	LBG30-BM	Boulder Mountain	Concrete	24"/30"/36"
18"	LBG18-SM	Smokey Mountain Oak	Ceramic Fiber	18"
24"	LBG24-SM	Smokey Mountain Oak	Ceramic Fiber	24"/30"/36"
30"	LBG30-SM	Smokey Mountain Oak	Ceramic Fiber	24"/30"/36"
36"	LBG36-SM	Smokey Mountain Oak	Ceramic Fiber	24"/30"/36"
18"	LBG18-RM	Rocky Mountain Oak	Concrete	24"/30"/36"
24"	LBG24-RM	Rocky Mountain Oak	Concrete	24"/30"/36"
30"	LBG30-RM	Rocky Mountain Oak	Concrete	24"/30"/36"

Simply combine a burner system with matching size log set. 18" models fit Vantage Hearth 32" fireboxes and larger. 24" models fit Vantage Hearth 36" fireboxes and larger. 30"/36" models fit Vantage Hearth 42" fireboxes and larger.

Tri-Flame Series: Vent-Free Gas Logs



Scarlet Oak



Rugged Stack



Mixed Oak



4 Massive Mixed Oak

The **Tri-Flame Series** brings a remarkable new technology to the field of vent-free gas logs. To duplicate the look of a real wood fire, these models include a glowing, coal bed at its base. The bright, glowing coals and flickering embers are achieved through the use of two unique technologies. The Tri-Flame burner offers the unusual feature of an additional row of flames behind the logs. The result is a distinctive appearance with a very deep flame pattern.

Burner Systems

SIZE	MODEL NUMBER	CONTROL	BTU OUTPUT	FUEL
18"	TF18NR	Remote Ready	21,000 to 30,000	Natural
18"	TF18PR	Remote Ready	24,000 to 30,000	Propane
18"	TF18NV	Variable Remote*	21,000 to 30,000	Natural
18"	TF18PV	Variable Remote*	24,000 to 30,000	Propane
18"	TF18NE	Electronic Ignition*	24,000 to 30,000	Natural
18"	TF18PE	Electronic Ignition*	24,000 to 30,000	Propane
24"/30"	TF2430NR	Remote Ready	28,000 to 39,000	Natural
24"/30"	TF2430PR	Remote Ready	28,000 to 39,000	Propane
24"/30"	TF2430NV	Variable Remote*	28,000 to 39,000	Natural
24"/30"	TF2430PV	Variable Remote*	28,000 to 39,000	Propane
24"/30"	TF2430NE	Electronic Ignition*	28,000 to 39,000	Natural
24"/30"	TF2430PE	Electronic Ignition*	28,000 to 39,000	Propane

*Variable Remote models include a ProFlame remote control. Electronic Ignition models include a variable remote control.

Log Sets

SIZE	MODEL NUMBER	MODEL NAME	MATERIAL	USE BURNER
18"	LTF18-SO	Scarlet Oak	Concrete	18"
24"	LTF24-SO	Scarlet Oak	Concrete	24"/30"
30"	LTF30-SO	Scarlet Oak	Concrete	24"/30"
18"	LTF18-RS	Rugged Stack	Concrete	18"
24"	LTF24-RS	Rugged Stack	Concrete	24"/30"
30"	LTF30-RS	Rugged Stack	Concrete	24"/30"
18"	LTF18-MO	Mixed Oak	Ceramic Fiber	18"
24"	LTF24-MO	Mixed Oak	Ceramic Fiber	24"/30"
30"	LTF30-MO	Mixed Oak	Ceramic Fiber	24"/30"
18"	LTF18-MM	Massive Mixed Oak	Ceramic Fiber	18"
24"	LTF24-MM	Massive Mixed Oak	Ceramic Fiber	24"/30"
30"	LTF30-MM	Massive Mixed Oak	Ceramic Fiber	24"/30"

Simply combine a burner system with matching size log set. 18"/24" models fit Vantage Hearth 36" fireboxes and larger. 30" models fit Vantage Hearth 42" fireboxes and larger.

Magniflame Series: Vented / Vent-Free Gas Logs

The Magniflame Series boasts a triple burner to achieve the look of a real wood fire! The Magniflame burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry.

Indoor vent-free models feature two burners of bright yellow flames, plus the lower burner for the glowing ember bed. Outdoor models feature two burners of bright yellow flames, stainless steel chassis and grate, and an optional lava rock flame bed at its base.



Designed to fit the larger fireboxes of today! The uniqueness of this series is that the unit stands 19" tall and over 15" deep. 24" log sets are designed for 36" fireboxes, 30" log sets for 42" fireboxes and 36" log sets for the Vantage Hearth 48" boxes or larger masonry units. (See page 7 for minimum firebox dimensions and further details)

Above Right: 36" Southern Comfort Log Set with 36" Magniflame Outdoor Stainless Steel Burner and optional MFEB Lava Rock Flame Bed shown in a massive 50" Masonry Firebox.



Indoor - 30" Southern Comfort Log Set & 24"/30" Magniflame Burner



Outdoor - 36" Southern Comfort Log Set & 36" Magniflame Burner

Magniflame Vent-Free Burner Systems for Indoor Use

SIZE	MODEL NUMBER	BURNER TYPE	CONTROL	BTU OUTPUT	FUEL
24"/30"	MF42INR	Large Indoor Burner w/ Ember bed	Remote Ready	29,000 to 40,000	Natural
24"/30"	MF42IPR	Large Indoor Burner w/ Ember bed	Remote Ready	29,000 to 40,000	Propane
24"/30"	MF42INV	Large Indoor Burner w/ Ember bed	Variable Remote*	29,000 to 40,000	Natural
24"/30"	MF42IPV	Large Indoor Burner w/ Ember bed	Variable Remote*	29,000 to 40,000	Propane
24"/30"	MF42INE	Large Indoor Burner w/ Ember bed	Electronic Ignition*	29,000 to 40,000	Natural
24"/30"	MF42IPE	Large Indoor Burner w/ Ember bed	Electronic Ignition*	29,000 to 40,000	Propane
36"	MF48INR	XL Indoor Burner w/ Ember bed	Remote Ready	29,000 to 40,000	Natural
36"	MF48IPR	XL Indoor Burner w/ Ember bed	Remote Ready	29,000 to 40,000	Propane
36"	MF48INV	XL Indoor Burner w/ Ember bed	Variable Remote*	29,000 to 40,000	Natural
36"	MF48IPV	XL Indoor Burner w/ Ember bed	Variable Remote*	29,000 to 40,000	Propane
36"	MF48INE	XL Indoor Burner w/ Ember bed	Electronic Ignition*	29,000 to 40,000	Natural
36"	MF48IPE	XL Indoor Burner w/ Ember bed	Electronic Ignition*	29,000 to 40,000	Propane

Magniflame Burner Systems for Outdoor Use or Vented Burner Systems for Indoor Use

24"/30"	MF42ONR	Large Outdoor Stainless (Flame bed optional)	Remote Ready	29,000 to 40,000	Natural
24"/30"	MF42OPR	Large Outdoor Stainless (Flame bed optional)	Remote Ready	29,000 to 40,000	Propane
24"/30"	MF42ONE	Large Outdoor Stainless (Flame bed optional)	Electronic Ignition*	29,000 to 40,000	Natural
24"/30"	MF42OPE	Large Outdoor Stainless (Flame bed optional)	Electronic Ignition*	29,000 to 40,000	Propane
36"	MF48ONR	XL Outdoor Stainless (Flame bed optional)	Remote Ready	29,000 to 40,000	Natural
36"	MF48OPR	XL Outdoor Stainless (Flame bed optional)	Remote Ready	29,000 to 40,000	Propane
36"	MF48ONE	XL Outdoor Stainless (Flame bed optional)	Electronic Ignition*	29,000 to 40,000	Natural
36"	MF48OPE	XL Outdoor Stainless (Flame bed optional)	Electronic Ignition*	29,000 to 40,000	Propane

Southern Comfort Log Sets

SIZE	MODEL NUMBER	TYPE	MATERIAL	USE BURNER
24"	LMF36-SC	24" Log Set (Designed for 36" and larger fireboxes)	Concrete	24"/30"
30"	LMF42-SC	30" Log Set (Designed for 42" and larger fireboxes)	Concrete	24"/30"
36"	LMF48-SC	36" Log Set (Designed for 48" and larger fireboxes)	Concrete	36"

Accessories (Remote Controls Sold Separately)

MRC	On/Off Remote Control Kit.	1.0 lb.
TRC	Thermostat Remote Control Kit (For indoor vent-free use)	1.0 lb.
GWMT1	Wall Mount Thermostat Control Kit	1.0 lb.
GWMS2	Wall Mount - On/Off Switch Kit	1.0 lb.
MFEB	Magniflame Lava Rock Flame Bed for Outdoor Models (For use in wood burning fireboxes only)	12.0 lbs.
LAMF	Magniflame Accessory Log Kit (8 massive burned & charred pieces)	30.0 lbs.

*Variable Remote models include a ProFlame remote control. Electronic Ignition models include a variable remote control.

(See page 7 for minimum firebox dimensions and further details)



MFEB: Magniflame Lava Rock Flame Bed

Value Line / Multi-Sided Series: Vent-Free Gas Logs

Efficiency of Vent-Free – Heat your home for less

Vantage Hearth's unique, clean burning design provides 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus heating with Vantage Hearth gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

Vantage Hearth's Single Burner Vent-Free Gas Log Heaters feature an abundance of dancing yellow flames and your choice of two beautifully designed log styles that look like they just came off the woodpile.

Vantage Hearth's Dual Burner Vent-Free Gas Log Heaters offer the choice of four types of remote control accessories as well as the ability to operate the log heater with manual control.

Vantage Hearth's Multi-Sided Vent-Free Gas Log Heaters feature "Remote Ready" controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design.

Single Burner Models



Price Point



Vintage Oak

Dual Burner Models



Price Point



Golden Oak



Crescent Hill

Multi-Sided Models



Back View



Front View

Single Burner Models (Combine Burner System & Log Set)					
SIZE	MODEL NUMBER	TYPE	NAME / CONTROL	BTU OUTPUT	FUEL
18"	VS1824NM	Burner System	Manual	17,000 to 24,000	Natural
24"	VS1824PM	Burner System	Manual	16,000 to 23,000	Propane
18"	LVS18-VO	Ceramic Fiber Logs	Vintage Oak	-	-
24"	LVS24-VO	Ceramic Fiber Logs	Vintage Oak	-	-
18"	LVS18-PP	Ceramic Fiber Logs	Price Point	-	-
24"	LVS24-PP	Ceramic Fiber Logs	Price Point	-	-
Dual Burner Models (Combine Burner System & Log Set)					
SIZE	MODEL NUMBER	TYPE	NAME / CONTROL	BTU OUTPUT	FUEL
18"/24"	VD1824NM	Burner System	Manual	19,000 to 36,000	Natural
18"/24"	VD1824PM	Burner System	Manual	19,000 to 36,000	Propane
18"/24"	VD1824NR	Burner System	Remote Ready	25,000 to 36,000	Natural
18"/24"	VD1824PR	Burner System	Remote Ready	25,000 to 36,000	Propane
18"	LVD18-CH	Concrete Logs	Crescent Hill	-	-
24"	LVD24-CH	Concrete Logs	Crescent Hill	-	-
18"	LVD18-GO	Ceramic Fiber Logs	Golden Oak	-	-
24"	LVD24-GO	Ceramic Fiber Logs	Golden Oak	-	-
18"	LVD18-PP	Ceramic Fiber Logs	Price Point	-	-
24"	LVD24-PP	Ceramic Fiber Logs	Price Point	-	-
Multi-Sided Models (Includes Burner System & Log Set)					
SIZE	MODEL NUMBER	TYPE	CONTROL	BTU OUTPUT	FUEL
27"	VYM27NR	Burner & Logs	Remote Ready	20,000 to 39,000	Natural
27"	VYM27PR	Burner & Logs	Remote Ready	20,000 to 39,000	Propane

Simply combine a burner system with matching size log set.
 18"/24" Single and Dual Burner models fit Vantage Hearth 32" fireboxes and larger.
 Multi-Sided models fit Vantage Hearth See-Thru and Peninsula fireboxes.

Log Sizes & Minimum Firebox Dimensions

BURNER SYSTEMS & LOGS				MINIMUM FIREBOX DIMENSIONS			
BURNER SYSTEM #	LOG SET #	LOG SET DESCRIPTION	LOG LENGTH	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH
VVMR18	VMLR18	Kingston Oak	18"	18"	16"	28"	28"
VVMR24	VMLR24	Kingston Oak	24"	18"	16"	29.75"	29.75"
HCM-18-RF	INCLUDED	Sequoia	18"	16"	14"	30"	20"
HCM-24-RF	INCLUDED	Sequoia	24"	18"	18"	34"	24"
HCA-18-RF	INCLUDED	Blue Ridge	18"	16"	14"	30"	20"
HCA-24-RF	INCLUDED	Blue Ridge	24"	18"	18"	34"	24"
HKE-18-RF	INCLUDED	Acadia	18"	16"	14"	30"	20"
HKE-24-RF	INCLUDED	Acadia	24"	18"	18"	34"	24"
BG(E)18	LBG18-SM	Smokey Mountain Oak	18"	17"	13.5"	20"	14"
BG(E)2436	LBG24-SM	Smokey Mountain Oak	24"	17"	13.5"	26"	18"
BG(E)2436	LBG30-SM	Smokey Mountain Oak	30"	21"	13.5"	32"	22"
BG(E)2436	LBG36-SM	Smokey Mountain Oak	36"	21"	13.5"	38"	27.5"
BG(E)18	LBG18-RM	Rocky Mountain Oak	18"	17"	13.5"	20"	14"
BG(E)2436	LBG24-RM	Rocky Mountain Oak	24"	17"	13.5"	26"	18"
BG(E)2436	LBG30-RM	Rocky Mountain Oak	30"	21"	13.5"	32"	22"
BGE18	LBG18-BM	Boulder Mountain Oak	18"	17"	14.5"	26"	20"
BGE2436	LBG24-BM	Boulder Mountain Oak	24"	17"	14.5"	29"	22"
BGE2436	LBG30-BM	Boulder Mountain Oak	30"	21"	14.5"	32"	22"
BGE18	LBG18-CM	Catskill Mountain Oak	18"	17"	14.5"	26"	20"
BGE2436	LBG24-CM	Catskill Mountain Oak	24"	21"	14.5"	29"	22"
BGE2436	LBG30-CM	Catskill Mountain Oak	30"	21"	14.5"	32"	22"
TF18	LTF18-SO	Scarlet Oak	18"	19"	14"	28"	20"
TF2430	LTF24-SO	Scarlet Oak	24"	19"	14"	32"	22"
TF2430	LTF30-SO	Scarlet Oak	30"	19"	14"	40"	30"
TF18	LTF18-RS	Rugged Stack	18"	19"	14"	28"	20"
TF2430	LTF24-RS	Rugged Stack	24"	19"	14"	32"	22"
TF2430	LTF30-RS	Rugged Stack	30"	19"	14"	40"	30"
TF18	LTF18-MO	Mixed Oak	18"	19"	14"	28"	20"
TF2430	LTF24-MO	Mixed Oak	24"	19"	14"	32"	22"
TF2430	LTF30-MO	Mixed Oak	30"	19"	14"	40"	30"
TF18	LTF18-MM	Massive Mixed Oak	18"	19"	14"	28"	20"
TF2430	LTF24-MM	Massive Mixed Oak	24"	19"	14"	32"	22"
TF2430	LTF30-MM	Massive Mixed Oak	30"	19"	14"	40"	30"
MF42I	LMF36-SC	Southern Comfort	24"	*29"	*15.5"	32.5"	22.75"
MF42I	LMF42-SC	Southern Comfort	30"	*29"	*15.5"	39"	26.75"
MF48I	LMF48-SC	Southern Comfort	36"	29"	20"	47"	33"
VS1824	LVS18-PP	Price Point	18"	17"	13"	24"	20"
VS1824	LVS24-PP	Price Point	24"	17"	13"	24"	20"
VS1824	LVS18-VO	Vintage Oak	18"	17"	13"	24"	20"
VS1824	LVS24-VO	Vintage Oak	24"	17"	13"	24"	20"
VD1824	LVD18-PP	Price Point	18"	17"	13.5"	24"	20.5"
VD1824	LVD24-PP	Price Point	24"	17"	13.5"	28"	20.5"
VD1824	LVD18-CH	Crescent Hill	18"	17"	13.5"	24"	20.5"
VD1824	LVD24-CH	Crescent Hill	24"	17"	13.5"	28"	20.5"
VD1824	LVD18-GO	Golden Oak	18"	17"	13.5"	24"	20.5"
VD1824	LVD24-GO	Golden Oak	24"	17"	13.5"	28"	20.5"
VYM27	INCLUDED	Multi-sided	27"	17"	19"	32"	32"

*Installation in certain FMI produced fireplaces with smaller dimensions has been approved

Which Vantage Hearth Model Is Right For You?

Vantage Hearth offers a broad line of vented & vent-free gas logs featuring a variety of styles and sizes plus your choice of five types of controls. Just follow the easy steps below to choose a great looking set of Vantage Hearth gas logs.

1. Installation Considerations. Vantage Hearth "Vented" Gas Logs install in any properly certified and vented masonry fireplace or manufactured firebox. "Vent-Free" Gas Logs can be installed in any certified vented fireplace or any ANSI Z21.11 certified vent-free universal firebox including the Vantage Hearth LogMate™ Fireboxes. All burner systems with variable manual controls including remote ready are also listed to the ANSI Z21.60 Vented Log Decorative Standard which requires the GA6080 damper clamp accessory.

2. Control Choices. Vantage Hearth Gas Logs are available in five control types: Manual, Thermostatic, Variable, Remote Ready & Electronic Ignition. All offer easy, reliable and economical heating. Value Line models use a "matchless" piezo ignition system, all other Vantage Hearth Vent-Free models use a battery powered "Auto-Light" ignition simply a battery-powered continuous spark system that lights the log's burner faster and easier.

Manually Controlled Models.

Manual control allows you to select the heat setting and flame height you desire by simply turning a control knob to enjoy flames and glowing coals from both burners.

Thermostatically Controlled Models.

Thermostat control gradually modulates the heat output and flame height from high to lower settings, or pilot, in order to maintain a consistent room temperature. Even at the lowest setting you enjoy glowing coals and realistic flames from two burners.

Variable Remote Controlled Models.

Variable remote control offers three modes of operation: manual, thermostatic, or smart mode. In smart mode, the system electronically duplicates a hydraulic thermostatically controlled valve by increasing the input rate/flame height based on the difference in room temperature and the set temperature. These systems allow 6 flame height settings from low to high while in either the manual or thermostatic modes settings.

Remote Controlled Models.

Remote controlled models operate with the manual variable controls or your choice of four remotes.

- The Wall Mount Off/On Switch will enable you to turn your log set from pilot to on at the flip of a switch.
- With a Wall Mount Thermostat Switch set the wall thermostat at the comfort level you desire and the log heater will automatically cycle from pilot to the heat setting selected.
- The On/Off Remote Control enables you to turn the log heater off or on using the hand-held control. A child safety lock feature is included for additional safety assurance.
- The Thermostat Remote Control allows you to view the time and room temperature or operate the log heater in a manually or automatically (thermostat) controlled mode plus you can turn it off or on without ever leaving the comfort of your easy chair! Note, the log heater will always operate at the heat setting (and flame height) selected unless it is manually changed. A child safety lock feature is included for additional safety assurance.

Electronic Ignition Models.

The electronic ignition valve systems offer two modes of operation: manual or thermostatic. These systems allow 3 flame height/input settings: low, medium, or high. The pilot lights each time the system is set or calls for heat. This means that the pilot never burns when the main burners are off. When compared to other valve systems, the cost of fuel to continually operate the pilot is avoided. Versus a continuous pilot system, this system will save the home owner money by reducing their fuel usage.

3. Options. Vantage Hearth Gas Logs are available with a variety of styles and options. All models include the Vantage Hearth 4 year warranty. In addition, all models (except value line series) include Flex Lines to simplify installation.

Our three premium burners (Blaze n' Glow, Tri-Flame & Magniflame) feature two things in common – heavy duty wood-burning grate and realistic ember bed. Burners are designed with very distinctive feature in mind:

- Blaze n' glow "BGE" – Unique to industry. Performs same as radiant heater, fiber reaches temperature in excess of 2000 degrees.
- Tri-Flame – Additional burner behind rear log for unique depth of flame
- Magniflame – High flame with 19" logs. Unique burner cantilevered at 45 degree angle.

4. Size Choices. Vantage Hearth Gas Logs are available in 18", 24", 30" & 36" sizes.

5. Fireplace Hoods (If required).

A fireplace hood accessory may be required to deflect heat away from your mantel shelf. Fits fireplace openings from 28" to 48" wide. Installs easily with glass doors or to the lintel of the fireplace opening.



6. Decorative Ash Bed / Control Cover Accessory Kit (Optional).

This new accessory is not only functional but beautiful as well! The set includes five log pieces featuring realistic bark, split and charred areas plus a matching control cover. Simply move the cover when you need to use the control(s).



Safety Features Built Into Every Fireplace

Vantage Hearth's Vent-Free Gas Log Heaters are designed certified by PFS Corporation and meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, this heater performs well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat without the worry and inconvenience of vented gas logs or burning wood.

Vantage Hearth Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.

IMPORTANT

Installation must be done by qualified service persons.

Read Owner's Manual before using.

Check local codes and ordinances for permitted uses.

Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts.

All products approved for manufactured (mobile) home installation.

We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages.

Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated. Refer to owner's manual for specifics.

Product cannot be converted between fuel types.

The only warranty we offer is our standard warranty. Please read the warranty for any limitations or disclaimers.

All parts have a limited four year warranty.

Stainless Steel burners carry a limited five year warranty.

All accessories have a one year warranty.



Look For Us Online
www.fmiproducts.com